



DRUMHELLER



Building A New House or Upgrading Plumbing?

Information regarding Water and Sewer Service Bylaw 12-08

Water and Sewer Service Bylaw 12-08

PURSUANT to the Municipal Government Act, Being Chapter M-26, R.S.A. 2000, as amended, the Council for the Town of Drumheller duly assembled enacts as follows:

Conservation



Part A

All building permits issued for new construction will be required to have water efficient plumbing fixtures which meet the following minimum requirements:

- | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>[I]</p> <p>All flush type toilets must be of the low flush type with a water usage not exceeding:</p> <ul style="list-style-type: none"> ∅ 6 litres per flush ∅ 1.3 imperial gallons per flush ∅ 1.6 U.S. gallons per flush | <p>[III]</p> <p>All shower heads must be rated not to exceed a flow of:</p> <ul style="list-style-type: none"> ∅ 8.3 litres per minute ∅ 1.8 imperial gallons per minute ∅ 2.2 U.S. gallons per minute |
| <p>[II]</p> <p>Urinals not to exceed a flow of:</p> <ul style="list-style-type: none"> ∅ 3.8 litres per flush ∅ 0.8 imperial gallons per flush ∅ 1 U.S. gallon per flush | <p>[IV]</p> <p>All faucet outlets be restricted to:</p> <ul style="list-style-type: none"> ∅ 8.3 litres per minute ∅ 1.8 imperial gallons per minute ∅ 2.2 U.S. gallons per minute |

Part B

That in any area of the Town of Drumheller serviced by a municipal water service where static water system pressures exceed 75 pounds per square inch, individual services shall be equipped with a pressure regulator pre-set at not more than 75 pounds per square inch

